

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	953	(predict\$4 near2 interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/11 19:51
L2	9	(predict\$4 near2 response near2 interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/11 19:51
L3	414	715/841.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/11 19:51
L4	202	715/825.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/11 19:51
L5	119	"715".clas. ((pre adj render) or (Pre adj fetch\$3)) html	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/11 19:51
L6	1530	715/810.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/11 19:51
L7	66	715/812.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/11 19:51
L8	139	(possible user interaction events).clm.	US-PGPUB; USPAT	AND	ON	2008/09/11 19:51
L9	1	(client computer interface receive input interact\$3 generate interaction event identify possible current state (pre adj process)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/11 19:51
L10	92	(possible (user with interaction) events).clm.	US-PGPUB; USPAT	AND	ON	2008/09/11 19:51
L11	1	"5878223".pn.	US-PGPUB; USPAT	AND	ON	2008/09/11 19:51

L12	1	"20040123239".pn.	US-PGPUB; USPAT	AND	ON	2008/09/11 19:51
L13	1	"5727129".pn.	US-PGPUB; USPAT	AND	ON	2008/09/11 19:51
L14	1	"20050086608".pn.	US-PGPUB; USPAT	AND	ON	2008/09/11 19:51
L15	3	(US-20040148565-\$ or US-20010027439-\$).did. or (US-6154767-\$ or US-6725421-\$).did.	US-PGPUB; USPAT	AND	ON	2008/09/11 19:51
L16	1	L15 predict	US-PGPUB; USPAT	AND	ON	2008/09/11 19:51
L17	22	((ANDREAS) near2 (ROESSLER)).INV.	US-PGPUB; USPAT	AND	ON	2008/09/11 19:51
L18	8	((MALTE) near2 (WEDEL)).INV.	US-PGPUB; USPAT	AND	ON	2008/09/11 19:51
L19	2	"US-20050071777-A1".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/11 19:51
L20	54	((interface near3 state) (user with interaction) (interface with state)((pre adj render) or (Pre adj fetch\$3)) html)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/11 19:51
L21	8	L17 L18	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/11 19:51
L22	24	"715".clas. (pre adj render)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/11 19:51
L23	18	"715".clas. (pre adj render) html	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/11 19:51
L24	19	"715".clas. ((interface with state)((pre adj render) or (Pre adj fetch\$3)) html)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/11 19:51
L25	8	L7 L4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/11 19:51

L26	23	(pre adj cache).clm.	US-PGPUB; USPAT	AND	ON	2008/09/11 19:51
L27	23	(possible (user with interaction) with events).clm.	US-PGPUB; USPAT	AND	ON	2008/09/11 19:51
L28	2	"US-5758087-A".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/11 19:51
L29	2	"6085226".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/11 19:51
L30	88	("5740430" "5754939" "5758087" "5799150" "5802292" "5806065").PN. OR ("5878223").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2008/09/11 19:51
L31	9	(US-20040148565-\$ or US-20010027439- \$).did. or (US-6154767-\$ or US-6725421- \$ or US-6742033-\$ or US-5878223-\$ or US-5758087-\$ or US-6055569-\$ or US- 6067565-\$ or US-6085226-\$).did.	US-PGPUB; USPAT	AND	ON	2008/09/11 19:51
L32	9	L31 client	US-PGPUB; USPAT	AND	ON	2008/09/11 19:51
L33	83	((hypertext) with (markup adj language) with known) NOT ((hypertext adj markup adj language) with (((hypertext) with (markup adj language) with known)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/11 19:51
L34	8	(XML navigation).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/11 19:51
L35	15	(XML flow).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/11 19:51
L36	110	(XML) Hierarch\$6 (web adj page) (modif \$3 same website or structure) (navigation with flow) @AD<"20041014"	US-PGPUB; USPAT	AND	ON	2008/09/11 19:51
L37	119	"715".clas. ((pre adj render) or (Pre adj fetch\$3)) html	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/11 19:51
L38	202	715/825.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/11 19:51

L39	48	(XML) Hierarch\$6 (web adj page) website structure (navigation with flow)	US-PGPUB; USPAT	AND	ON	2008/09/11 19:51
L40	414	715/841.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/11 19:51
L41	953	(predict\$4 near2 interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/11 19:51
L42	3	(US-20040148565-\$ or US-20010027439-\$).did. or (US-6154767-\$ or US-6725421-\$).did.	US-PGPUB; USPAT	AND	ON	2008/09/11 19:51
L43	15	(XML flow).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/11 19:51
L44	8	(XML with navigation with flow)	US-PGPUB; USPAT	AND	ON	2008/09/11 19:51
L45	9	(US-20040148565-\$ or US-20010027439-\$).did. or (US-6154767-\$ or US-6725421-\$ or US-6742033-\$ or US-5878223-\$ or US-5758087-\$ or US-6055569-\$ or US-6067565-\$ or US-6085226-\$).did.	US-PGPUB; USPAT	AND	ON	2008/09/11 19:51
L46	9	L45 client	US-PGPUB; USPAT	AND	ON	2008/09/11 19:51
L47	2779	(XML) Hierarch\$6 (web adj page) website	US-PGPUB; USPAT	AND	ON	2008/09/11 19:51
L48	8	(XML with navigation with flow)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/11 19:51
L49	1	(XML) backid	US-PGPUB; USPAT	AND	ON	2008/09/11 19:51
L50	8648	(XML) Hierarch\$6 (web adj page)	US-PGPUB; USPAT	AND	ON	2008/09/11 19:51
L51	26	(hypertext adj file) with known	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/11 19:51
L52	54	(XML) (web adj page) website (modif\$3 same Hierarch\$6 or structure) (navigation with flow) @AD<"20041014"	US-PGPUB; USPAT	AND	ON	2008/09/11 19:51
L53	34	(XML) Hierarch\$6 (web adj page) website structure (navigation with flow) @AD<"20041014"	US-PGPUB; USPAT	AND	ON	2008/09/11 19:51

L54	88	("5740430" "5754939" "5758087" "5799150" "5802292" "5806065").PN. OR ("5878223").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2008/09/11 19:51
L55	2	"6085226".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/11 19:51
L56	2	"US-5758087-A".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/11 19:51
L57	23	(possible (user with interaction) with events).clm.	US-PGPUB; USPAT	AND	ON	2008/09/11 19:51
L58	23	(pre adj cache).clm.	US-PGPUB; USPAT	AND	ON	2008/09/11 19:51
L59	139	(possible user interaction events).clm.	US-PGPUB; USPAT	AND	ON	2008/09/11 19:51
L60	66	715/812.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/11 19:51
L61	8	L60 L38	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/11 19:51
L62	19	"715".clas. ((interface with state)((pre adj render) or (Pre adj fetch\$3)) html)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/11 19:51
L63	18	"715".clas. (pre adj render) html	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/11 19:51
L64	24	"715".clas. (pre adj render)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/11 19:51
L65	22	((ANDREAS) near2 (ROESSLER)).INV.	US-PGPUB; USPAT	AND	ON	2008/09/11 19:51
L66	8	((MALTE) near2 (WEDEL)).INV.	US-PGPUB; USPAT	AND	ON	2008/09/11 19:51

L67	8	L65 L66	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/11 19:51
L68	2	"US-20050071777-A1".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/11 19:51
L69	1	(client computer interface receive input interact\$3 generate interaction event identify possible current state (pre adj process)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/11 19:51
L70	54	((interface near3 state) (user with interaction) (interface with state)((pre adj render) or (Pre adj fetch\$3)) html)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/11 19:51
L71	9	(predict\$4 near2 response near2 interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/11 19:51
L72	1	L42 predict	US-PGPUB; USPAT	AND	ON	2008/09/11 19:51
L73	1	"20050086608".pn.	US-PGPUB; USPAT	AND	ON	2008/09/11 19:51
L74	1	"5727129".pn.	US-PGPUB; USPAT	AND	ON	2008/09/11 19:51
L75	1	"20040123239".pn.	US-PGPUB; USPAT	AND	ON	2008/09/11 19:51
L76	1	"5878223".pn.	US-PGPUB; USPAT	AND	ON	2008/09/11 19:51
L77	92	(possible (user with interaction) events). clm.	US-PGPUB; USPAT	AND	ON	2008/09/11 19:51
L78	1530	715/810.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/11 19:51
L79	22	((ANDREAS) near2 (ROESSLER)).INV.	US-PGPUB; USPAT	AND	ON	2008/09/11 19:51
L80	8	((MALTE) near2 (WEDEL)).INV.	US-PGPUB; USPAT	AND	ON	2008/09/11 19:51
L81	9	(US-20040148565-\$).did. or (US- 6154767-\$ or US-6085226-\$ or US- 6067565-\$ or US-5878223-\$ or US- 6055569-\$ or US-6742033-\$ or US- 5758087-\$ or US-6725421-\$).did.	US-PGPUB; USPAT	AND	ON	2008/09/11 19:51

L82	9	L81 @ad<"20030930"	US-PGPUB; USPAT	AND	ON	2008/09/11 19:51
L83	8	L81 @ad<"20030930" interface	US-PGPUB; USPAT	AND	ON	2008/09/11 19:51
L84	259	@ad<"20030930" (interface with state) ((pre) adj (render or fetch))	US-PGPUB; USPAT	AND	ON	2008/09/11 19:51
L85	1	@ad<"20030930" (interface with state) ((pre) adj (render or fetch)) generate adj code	US-PGPUB; USPAT	AND	ON	2008/09/11 19:51
L86	13	@ad<"20030930" (interface with state) ((pre) adj (render or fetch or process)) generate adj code	US-PGPUB; USPAT	AND	ON	2008/09/11 19:51
L87	64	@ad<"20030930" (interface with state) ((pre) adj (render or fetch or process)) GUI	US-PGPUB; USPAT	AND	ON	2008/09/11 19:51
L88	2	"20050071777"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/11 19:51
L89	2	"20050071777".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/11 19:51
L90	0	@ad<"20030930" (interface) with (pre adj render) GUI	US-PGPUB; USPAT	AND	ON	2008/09/11 19:51
L91	0	@ad<"20030930" (interface) same (pre adj render) GUI	US-PGPUB; USPAT	AND	ON	2008/09/11 19:51
L92	4	(interface) same (pre adj render) GUI	US-PGPUB; USPAT	AND	ON	2008/09/11 19:51
L93	4	(interface) with (pre adj render) GUI	US-PGPUB; USPAT	AND	ON	2008/09/11 19:51
L94	1164	@ad<"20030930" (interface) with (pre) GUI	US-PGPUB; USPAT	AND	ON	2008/09/11 19:51
L95	414	@ad<"20030930" (interface) with (render) GUI	US-PGPUB; USPAT	AND	ON	2008/09/11 19:51
L96	23	@ad<"20030930" (interface) with (render) GUI predict	US-PGPUB; USPAT	AND	ON	2008/09/11 19:51
L97	5	@ad<"20030930" (predictive with render) GUI	US-PGPUB; USPAT	AND	ON	2008/09/11 19:51
L98	5	@ad<"20030930" (predictive with render \$3) GUI	US-PGPUB; USPAT	AND	ON	2008/09/11 19:51
L99	5	@ad<"20030930" (predictiv\$3 with render\$3) GUI	US-PGPUB; USPAT	AND	ON	2008/09/11 19:51
L100	106	@ad<"20030930" (predictiv\$3 with render\$3)	US-PGPUB; USPAT	AND	ON	2008/09/11 19:51
L101	54	@ad<"20030930" (predictiv\$3 with render\$3) interface	US-PGPUB; USPAT	AND	ON	2008/09/11 19:51
L102	0	@ad<"20030930" (predictiv\$3 with render\$3) with nterface	US-PGPUB; USPAT	AND	ON	2008/09/11 19:51
L103	2	@ad<"20030930" (predictiv\$3 with render\$3) with interface	US-PGPUB; USPAT	AND	ON	2008/09/11 19:51

L104	0	@ad<"20030930" (pre adj process) with render\$3 with interface	US-PGPUB; USPAT	AND	ON	2008/09/11 19:51
L105	39	@ad<"20030930" (pre adj process) with render\$3 interface	US-PGPUB; USPAT	AND	ON	2008/09/11 19:51
L106	76	@ad<"20030930" (pre adj (render or process)) with render\$3 interface	US-PGPUB; USPAT	AND	ON	2008/09/11 19:51
L107	16	@ad<"20030930" (pre adj (render or process)) with render\$3 interface html	US-PGPUB; USPAT	AND	ON	2008/09/11 19:51
L108	11	@ad<"20030930" pre-rendered static html	US-PGPUB; USPAT	AND	ON	2008/09/11 19:51
L109	60576	@ad<"20030930" event driven interface	US-PGPUB; USPAT	AND	ON	2008/09/11 19:51
L110	15377	@ad<"20030930" event driven interface	US-PGPUB	AND	ON	2008/09/11 19:51
L111	13	@ad<"20030930" (event driven interface).ab.	US-PGPUB	AND	ON	2008/09/11 19:51
L112	208	@ad<"20030930" (event with driven with interface)	US-PGPUB	AND	ON	2008/09/11 19:51
L113	39	@ad<"20030930" (event with driven with interface) render	US-PGPUB	AND	ON	2008/09/11 19:51
L114	0	@ad<"20030930" (event with driven with interface) render ((pre adj process) or (pre adj render\$3))	US-PGPUB	AND	ON	2008/09/11 19:51
L115	4	@ad<"20030930" (event with driven with interface) ((pre adj process) or (pre adj render\$3))	US-PGPUB	AND	ON	2008/09/11 19:51
L116	38	@ad<"20030930" ((pre adj process) or (pre adj render\$3)) with interface)	US-PGPUB	AND	ON	2008/09/11 19:51
L117	2	@ad<"20030930" ((pre adj process\$3) or (pre adj render\$3)) with interface) render\$3.ti.	US-PGPUB	AND	ON	2008/09/11 19:51
L118	6	@ad<"20030930" ((pre adj process\$3) or (pre adj render\$3)) with interface) render\$3.ti.ab.	US-PGPUB	AND	ON	2008/09/11 19:51
L119	1	@ad<"20030930" (pre adj render\$3).ti.	US-PGPUB	AND	ON	2008/09/11 19:51
L120	41	@ad<"20030930" ((pre adj process\$3) or (pre adj render\$3)).ti.	US-PGPUB	AND	ON	2008/09/11 19:51
L121	235	@ad<"20030930" ((pre adj process\$3) or (pre adj render\$3)) with interface	US-PGPUB	AND	ON	2008/09/11 19:51
L122	37	@ad<"20030930" ((pre adj process\$3) or (pre adj render\$3)) with interface html	US-PGPUB	AND	ON	2008/09/11 19:51
L123	0	@ad<"20030930" ((pre adj process\$3) or (pre adj render\$3)) with interface html prefetch	US-PGPUB	AND	ON	2008/09/11 19:51
L124	10	@ad<"20030930" pre adj fetch with interface html	US-PGPUB	AND	ON	2008/09/11 19:51
L125	10	@ad<"20030930" ((pre adj fetch) with interface) html	US-PGPUB	AND	ON	2008/09/11 19:51
L126	1	@ad<"20030930" ((pre adj fetch).ti.) html	US-PGPUB	AND	ON	2008/09/11 19:51
L127	1	@ad<"20030930" ((pre adj fetch).ti.) server html	US-PGPUB	AND	ON	2008/09/11 19:51

L128	0	@ad<"20030930" ((pre adj fetch).ti.) server html prerender	US-PGPUB	AND	ON	2008/09/11 19:51
L129	0	@ad<"20030930" ((pre adj fetch).ti.) server html preradj ender	US-PGPUB	AND	ON	2008/09/11 19:51
L130	0	@ad<"20030930" ((pre adj fetch).ti.) server html pre radj ender	US-PGPUB	AND	ON	2008/09/11 19:51
L131	0	@ad<"20030930" ((pre adj fetch).ti.ab.) server html pre radj ender	US-PGPUB	AND	ON	2008/09/11 19:51
L132	0	@ad<"20030930" ((pre adj fetch)) server html pre radj ender	US-PGPUB	AND	ON	2008/09/11 19:51
L133	1	@ad<"20030930" ((pre adj fetch)) server html pre adj render\$3	US-PGPUB	AND	ON	2008/09/11 19:51
L134	0	60/223251.app.	US-PGPUB	AND	ON	2008/09/11 19:51
L135	0	60/223251.ap.	US-PGPUB	AND	ON	2008/09/11 19:51
L136	0	"60223251".ap.	US-PGPUB	AND	ON	2008/09/11 19:51
L137	0	@ad<"20030930" ((pre adj fetch).ti.) server html pre adj render	US-PGPUB	AND	ON	2008/09/11 19:51
S1	851	(predict\$4 near2 interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 10:55
S2	7	(predict\$4 near2 response near2 interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 10:55
S3	379	715/841.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 10:55
S4	171	715/825.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 10:55
S5	104	"715".clas. ((pre adj render) or (Pre adj fetch\$3)) html	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 10:55
S6	1348	715/810.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 10:55

S7	64	715/812.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 10:55
S8	123	(possible user interaction events).clm.	US-PGPUB; USPAT	AND	ON	2008/01/15 10:55
S9	1	(client computer interface receive input interact\$3 generate interaction event identify possible current state (pre adj process)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 10:55
S10	83	(possible (user with interaction) events). clm.	US-PGPUB; USPAT	AND	ON	2008/01/15 10:55
S11	1	"5878223".pn.	US-PGPUB; USPAT	AND	ON	2008/01/15 10:55
S12	1	"20040123239".pn.	US-PGPUB; USPAT	AND	ON	2008/01/15 10:55
S13	1	"5727129".pn.	US-PGPUB; USPAT	AND	ON	2008/01/15 10:55
S14	1	"20050086608".pn.	US-PGPUB; USPAT	AND	ON	2008/01/15 10:55
S15	4	(US-20040148565-\$ or US-20010027439- \$).did. or (US-6154767-\$ or US-6725421- \$).did.	US-PGPUB; USPAT	AND	ON	2008/01/15 10:55
S16	1	S15 predict	US-PGPUB; USPAT	AND	ON	2008/01/15 10:55
S17	19	((ANDREAS) near2 (ROESSLER)).INV.	US-PGPUB; USPAT	AND	ON	2008/01/15 10:55
S18	7	((MALTE) near2 (WEDEL)).INV.	US-PGPUB; USPAT	AND	ON	2008/01/15 10:55
S19	2	"US-20050071777-A1".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 10:55
S20	34	((interface near3 state) (user with interaction) (interface with state)((pre adj render) or (Pre adj fetch\$3)) html)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 10:55
S21	7	S17 S18	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 10:55
S22	22	"715".clas. (pre adj render)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 10:55

S23	16	"715".clas. (pre adj render) html	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 10:55
S24	17	"715".clas. ((interface with state)((pre adj render) or (Pre adj fetch\$3)) html)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 10:55
S25	8	S7 S4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 10:55
S26	20	(pre adj cache).clm.	US-PGPUB; USPAT	AND	ON	2008/01/15 10:55
S27	22	(possible (user with interaction) with events).clm.	US-PGPUB; USPAT	AND	ON	2008/01/15 10:55
S28	2	"US-5758087-A".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 10:55
S29	2	"6085226".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 10:55
S30	82	("5740430" "5754939" "5758087" "5799150" "5802292" "5806065").PN. OR ("5878223").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2008/01/15 10:55
S31	10	(US-20040148565-\$ or US-20010027439- \$).did. or (US-6154767-\$ or US-6725421- \$ or US-6742033-\$ or US-5878223-\$ or US-5758087-\$ or US-6055569-\$ or US- 6067565-\$ or US-6085226-\$).did.	US-PGPUB; USPAT	AND	ON	2008/01/15 10:55
S32	10	S31 client	US-PGPUB; USPAT	AND	ON	2008/01/15 10:55
S34	72	((hypertext) with (markup adj language) with known) NOT ((hypertext adj markup adj language) with (((hypertext) with (markup adj language) with known)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 11:12
S35	8	(XML navigation).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 12:26

S36	12	(XML flow).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/15 14:03
S45	105	(XML) Hierarch\$6 (web adj page) (modif \$3 same website or structure) (navigation with flow) @AD< "20041014"	US-PGPUB; USPAT	AND	ON	2008/01/15 15:23
S47	104	"715".clas. ((pre adj render) or (Pre adj fetch\$3)) html	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/17 02:09
S48	172	715/825.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/17 02:09
S49	44	(XML) Hierarch\$6 (web adj page) website structure (navigation with flow)	US-PGPUB; USPAT	AND	ON	2008/01/17 02:09
S50	379	715/841.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/17 02:09
S51	853	(predict\$4 near2 interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/17 02:09
S52	4	(US-20040148565-\$ or US-20010027439- \$).did. or (US-6154767-\$ or US-6725421- \$).did.	US-PGPUB; USPAT	AND	ON	2008/01/17 02:09
S53	12	(XML flow).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/17 02:09
S54	8	(XML with navigation with flow)	US-PGPUB; USPAT	AND	ON	2008/01/17 02:09
S55	10	(US-20040148565-\$ or US-20010027439- \$).did. or (US-6154767-\$ or US-6725421- \$ or US-6742033-\$ or US-5878223-\$ or US-5758087-\$ or US-6055569-\$ or US- 6067565-\$ or US-6085226-\$).did.	US-PGPUB; USPAT	AND	ON	2008/01/17 02:09
S56	10	S55 client	US-PGPUB; USPAT	AND	ON	2008/01/17 02:09
S57	2355	(XML) Hierarch\$6 (web adj page) website	US-PGPUB; USPAT	AND	ON	2008/01/17 02:09

S59	8	(XML with navigation with flow)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/17 02:09
S60	1	(XML) backid	US-PGPUB; USPAT	AND	ON	2008/01/17 02:09
S61	7470	(XML) Hierarch\$6 (web adj page)	US-PGPUB; USPAT	AND	ON	2008/01/17 02:09
S62	25	(hypertext adj file) with known	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/17 02:09
S63	53	(XML) (web adj page) website (modif\$3 same Hierarch\$6 or structure) (navigation with flow) @AD<"20041014"	US-PGPUB; USPAT	AND	ON	2008/01/17 02:09
S64	34	(XML) Hierarch\$6 (web adj page) website structure (navigation with flow) @AD<"20041014"	US-PGPUB; USPAT	AND	ON	2008/01/17 02:09
S66	82	("5740430" "5754939" "5758087" "5799150" "5802292" "5806065").PN. OR ("5878223").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2008/01/17 02:09
S67	2	"6085226".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/17 02:09
S68	2	"US-5758087-A".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/17 02:09
S69	22	(possible (user with interaction) with events).clm.	US-PGPUB; USPAT	AND	ON	2008/01/17 02:09
S70	20	(pre adj cache).clm.	US-PGPUB; USPAT	AND	ON	2008/01/17 02:09
S71	124	(possible user interaction events).clm.	US-PGPUB; USPAT	AND	ON	2008/01/17 02:09
S72	64	715/812.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/17 02:09
S73	8	S72 S48	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/17 02:09

S74	17	"715".clas. ((interface with state)((pre adj render) or (Pre adj fetch\$3)) html)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/17 02:09
S75	16	"715".clas. (pre adj render) html	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/17 02:09
S76	22	"715".clas. (pre adj render)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/17 02:09
S77	19	((ANDREAS) near2 (ROESSLER)).INV.	US-PGPUB; USPAT	AND	ON	2008/01/17 02:09
S78	7	((MALTE) near2 (WEDEL)).INV.	US-PGPUB; USPAT	AND	ON	2008/01/17 02:09
S79	7	S77 S78	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/17 02:09
S80	2	"US-20050071777-A1".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/17 02:09
S81	1	(client computer interface receive input interact\$3 generate interaction event identify possible current state (pre adj process)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/17 02:09
S82	34	((interface near3 state) (user with interaction) (interface with state)((pre adj render) or (Pre adj fetch\$3)) html)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/17 02:09
S83	7	(predict\$4 near2 response near2 interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/17 02:09
S84	1	S52 predict	US-PGPUB; USPAT	AND	ON	2008/01/17 02:09
S85	1	"20050086608".pn.	US-PGPUB; USPAT	AND	ON	2008/01/17 02:09
S86	1	"5727129".pn.	US-PGPUB; USPAT	AND	ON	2008/01/17 02:09

S87	1	"20040123239".pn.	US-PGPUB; USPAT	AND	ON	2008/01/17 02:09
S88	1	"5878223".pn.	US-PGPUB; USPAT	AND	ON	2008/01/17 02:09
S89	84	(possible (user with interaction) events). clm.	US-PGPUB; USPAT	AND	ON	2008/01/17 02:09
S91	1351	715/810.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/17 02:09
S92	19	((ANDREAS) near2 (ROESSLER)).INV.	US-PGPUB; USPAT	AND	ON	2008/01/17 10:24
S93	7	((MALTE) near2 (WEDEL)).INV.	US-PGPUB; USPAT	AND	ON	2008/01/17 10:24
S94	9	(US-20040148565-\$).did. or (US- 6154767-\$ or US-6085226-\$ or US- 6067565-\$ or US-5878223-\$ or US- 6055569-\$ or US-6742033-\$ or US- 5758087-\$ or US-6725421-\$).did.	US-PGPUB; USPAT	AND	ON	2008/01/17 11:04
S95	9	S94 @ad<"20030930"	US-PGPUB; USPAT	AND	ON	2008/01/17 11:04
S96	8	S94 @ad<"20030930" interface	US-PGPUB; USPAT	AND	ON	2008/01/17 11:12
S97	255	@ad<"20030930" (interface with state) ((pre) adj (render or fetch))	US-PGPUB; USPAT	AND	ON	2008/01/17 11:13
S98	1	@ad<"20030930" (interface with state) ((pre) adj (render or fetch)) generate adj code	US-PGPUB; USPAT	AND	ON	2008/01/17 11:14
S99	13	@ad<"20030930" (interface with state) ((pre) adj (render or fetch or process)) generate adj code	US-PGPUB; USPAT	AND	ON	2008/01/17 11:15
S100	60	@ad<"20030930" (interface with state) ((pre) adj (render or fetch or process)) GUI	US-PGPUB; USPAT	AND	ON	2008/01/17 11:15
S101	2	"20050071777"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/08 16:35
S102	2	"20050071777".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/10 12:09
S103	0	@ad<"20030930" (interface) with (pre adj render) GUI	US-PGPUB; USPAT	AND	ON	2008/09/10 15:49
S104	0	@ad<"20030930" (interface) same (pre adj render) GUI	US-PGPUB; USPAT	AND	ON	2008/09/10 15:49
S105	4	(interface) same (pre adj render) GUI	US-PGPUB; USPAT	AND	ON	2008/09/10 15:49
S106	4	(interface) with (pre adj render) GUI	US-PGPUB; USPAT	AND	ON	2008/09/10 15:50

S107	1164	@ad<"20030930" (interface) with (pre) GUI	US-PGPUB; USPAT	AND	ON	2008/09/10 15:50
S108	414	@ad<"20030930" (interface) with (render) GUI	US-PGPUB; USPAT	AND	ON	2008/09/10 15:50
S109	23	@ad<"20030930" (interface) with (render) GUI predict	US-PGPUB; USPAT	AND	ON	2008/09/10 15:51
S110	5	@ad<"20030930" (predictive with render) GUI	US-PGPUB; USPAT	AND	ON	2008/09/10 15:58
S111	5	@ad<"20030930" (predictive with render \$3) GUI	US-PGPUB; USPAT	AND	ON	2008/09/10 15:59
S112	5	@ad<"20030930" (predictiv\$3 with render\$3) GUI	US-PGPUB; USPAT	AND	ON	2008/09/10 15:59
S113	106	@ad<"20030930" (predictiv\$3 with render\$3)	US-PGPUB; USPAT	AND	ON	2008/09/10 15:59
S114	54	@ad<"20030930" (predictiv\$3 with render\$3) interface	US-PGPUB; USPAT	AND	ON	2008/09/10 15:59
S115	0	@ad<"20030930" (predictiv\$3 with render\$3) with interface	US-PGPUB; USPAT	AND	ON	2008/09/10 15:59
S116	2	@ad<"20030930" (predictiv\$3 with render\$3) with interface	US-PGPUB; USPAT	AND	ON	2008/09/10 15:59
S117	0	@ad<"20030930" (pre adj process) with render\$3 with interface	US-PGPUB; USPAT	AND	ON	2008/09/10 16:00
S118	39	@ad<"20030930" (pre adj process) with render\$3 interface	US-PGPUB; USPAT	AND	ON	2008/09/10 16:00
S119	76	@ad<"20030930" (pre adj (render or process)) with render\$3 interface	US-PGPUB; USPAT	AND	ON	2008/09/10 16:02
S120	16	@ad<"20030930" (pre adj (render or process)) with render\$3 interface html	US-PGPUB; USPAT	AND	ON	2008/09/10 16:03
S121	11	@ad<"20030930" pre-rendered static html	US-PGPUB; USPAT	AND	ON	2008/09/10 16:04
S122	60576	@ad<"20030930" event driven interface	US-PGPUB; USPAT	AND	ON	2008/09/11 08:30
S123	15377	@ad<"20030930" event driven interface	US-PGPUB	AND	ON	2008/09/11 08:30
S124	13	@ad<"20030930" (event driven interface).ab.	US-PGPUB	AND	ON	2008/09/11 08:30
S125	208	@ad<"20030930" (event with driven with interface)	US-PGPUB	AND	ON	2008/09/11 08:33
S126	39	@ad<"20030930" (event with driven with interface) render	US-PGPUB	AND	ON	2008/09/11 08:33
S127	0	@ad<"20030930" (event with driven with interface) render ((pre adj process) or (pre adj render\$3))	US-PGPUB	AND	ON	2008/09/11 08:36
S128	4	@ad<"20030930" (event with driven with interface) ((pre adj process) or (pre adj render\$3))	US-PGPUB	AND	ON	2008/09/11 08:36
S129	38	@ad<"20030930" (((pre adj process) or (pre adj render\$3)) with interface)	US-PGPUB	AND	ON	2008/09/11 08:39
S130	2	@ad<"20030930" (((pre adj process\$3) or (pre adj render\$3)) with interface) render\$3.ti.	US-PGPUB	AND	ON	2008/09/11 10:58
S131	6	@ad<"20030930" (((pre adj process\$3) or (pre adj render\$3)) with interface) render\$3.ti.ab.	US-PGPUB	AND	ON	2008/09/11 11:24

S132	1	@ad<"20030930" (pre adj render\$3).ti.	US-PGPUB	AND	ON	2008/09/11 11:33
S133	41	@ad<"20030930" ((pre adj process\$3) or (pre adj render\$3)).ti.	US-PGPUB	AND	ON	2008/09/11 11:34
S134	235	@ad<"20030930" ((pre adj process\$3) or (pre adj render\$3)) with interface	US-PGPUB	AND	ON	2008/09/11 11:38
S135	37	@ad<"20030930" ((pre adj process\$3) or (pre adj render\$3)) with interface html	US-PGPUB	AND	ON	2008/09/11 11:38
S136	0	@ad<"20030930" ((pre adj process\$3) or (pre adj render\$3)) with interface html prefetch	US-PGPUB	AND	ON	2008/09/11 11:52
S137	10	@ad<"20030930" pre adj fetch with interface html	US-PGPUB	AND	ON	2008/09/11 11:53
S138	10	@ad<"20030930" ((pre adj fetch) with interface) html	US-PGPUB	AND	ON	2008/09/11 11:54
S139	1	@ad<"20030930" ((pre adj fetch).ti.) html	US-PGPUB	AND	ON	2008/09/11 11:57
S140	1	@ad<"20030930" ((pre adj fetch).ti.) server html	US-PGPUB	AND	ON	2008/09/11 12:02
S141	0	@ad<"20030930" ((pre adj fetch).ti.) server html prerender	US-PGPUB	AND	ON	2008/09/11 12:16
S142	0	@ad<"20030930" ((pre adj fetch).ti.) server html preradj ender	US-PGPUB	AND	ON	2008/09/11 12:16
S143	0	@ad<"20030930" ((pre adj fetch).ti.) server html pre radj ender	US-PGPUB	AND	ON	2008/09/11 12:17
S144	0	@ad<"20030930" ((pre adj fetch).ti.ab.) server html pre radj ender	US-PGPUB	AND	ON	2008/09/11 12:17
S145	0	@ad<"20030930" ((pre adj fetch)) server html pre radj ender	US-PGPUB	AND	ON	2008/09/11 12:17
S146	1	@ad<"20030930" ((pre adj fetch)) server html pre adj render\$3	US-PGPUB	AND	ON	2008/09/11 12:17
S147	0	60/223251.app.	US-PGPUB	AND	ON	2008/09/11 12:18
S148	0	60/223251.ap.	US-PGPUB	AND	ON	2008/09/11 12:18
S149	0	"60223251".ap.	US-PGPUB	AND	ON	2008/09/11 12:54
S150	0	@ad<"20030930" ((pre adj fetch).ti.) server html pre adj render	US-PGPUB	AND	ON	2008/09/11 16:17

9/12/2008 12:35:56 AM

C:\Documents and Settings\STermanini\My Documents\EAST\Workspaces\10 Series\10_676_846_4.wsp